



SAFETY DATA SHEET

According to Safe Work Australia

Date: 01.01.2017

1 . IDENTIFICATION: PRODUCT IDENTIFIER AND CHEMICAL IDENTITY

Product Name: GAS LEAK TEST SOLUTION**Other Means of Identification:** Spray pack suitable for cellar gas detection**Recommended Use of the Chemical and Restriction on Use:** Food grade detergent for the checking of gas/air leaks**Details of Manufacturer or Importer:**Bracton Industries (NSW) Pty Ltd
50 Chard Rd
Brookvale NSW 2100**Phone Number:** +61 2 9938 1800**Emergency telephone number:** National Poison Information Centre: 13 11 26

2 . HAZARDS IDENTIFICATION

Hazardous Nature:

Not classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

The product is not classified according to the Globally Harmonised System (GHS).

Signal Word Void**Hazard Statements** Void

3 . COMPOSITION AND INFORMATION ON INGREDIENTS

Chemical Characterization: Mixtures**Description:** No reportable hazardous substances or complex substances.**Hazardous Components:** Void**Additional information:** This product is a dilute solution of an amphoteric biocide, CAS No. not supplied.

4 . FIRST AID MEASURES

Inhalation: If inhaled, remove to fresh air. Seek medical attention if breathing problems develop.**Skin Contact:**

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if symptoms occur.

Symptoms Caused by Exposure:**Inhalation:** Inhalation is unlikely. Inhalation of aerosols may cause chemical pneumonitis, irritation of the lungs and pulmonary oedema.**Skin Contact:** May cause mild skin irritation.**Eye Contact:** May cause mild eye irritation.**Ingestion:** May cause gastrointestinal irritation. Aspiration during swallowing or vomiting may cause chemical pneumonitis and pulmonary oedema.

(Contd. on page 2)

SAFETY DATA SHEET

According to Safe Work Australia

Date: 01.01.2017

Product Name: **GAS LEAK TEST SOLUTION**

(Contd. of page 1)

5 . FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water fog or fine spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of carbon and nitrogen and water vapour.

Product is not flammable.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 . ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved respiratory protection, chemical resistant gloves, protective clothing and safety boots. Evacuate all non-essential personnel from affected area. Do not breathe vapours. Ensure adequate ventilation.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and absorb spill with sand, earth, vermiculite or some other absorbent material. Collect the spilled material and place into a suitable container for disposal. Small spills can be mopped up, diluting with plenty of water.

7 . HANDLING AND STORAGE

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of vapours. Use only outdoors or in a well-ventilated area.

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area out of direct sunlight. Keep container tightly closed when not in use. Protect containers from physical damage. Keep away from oxidising agents, strong acids and bases.

8 . EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Use an approved vapour respirator under conditions where exposure to the substance is apparent (e.g. generation of high concentrations of mist or vapour, inadequate ventilation, development of respiratory tract irritation) and engineering controls are not feasible. See Australian Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information. When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the

(Contd. on page 3)

SAFETY DATA SHEET

According to Safe Work Australia

Date: 01.01.2017

Product Name: **GAS LEAK TEST SOLUTION**

(Contd. of page 2)

frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against splashing materials or liquids. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 . PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form:	Liquid
Colour:	Clear, almost colourless
Odour:	Characteristic
Odour Threshold:	No information available
pH-Value:	7.7 - 8.7
Melting point/Melting range:	~0 °C
Initial Boiling Point/Boiling Range:	100 °C
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	Not applicable
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	No information available
Upper:	No information available
Vapour Pressure at 20 °C:	23 hPa
Density at 20 °C:	1 g/cm ³
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Miscible with water in all proportions
Partition Coefficient (n-octanol/water):	No information available
Viscosity:	No information available
% Volatiles by Volume:	>95 % (as water)
VOC:	None

10 . STABILITY AND REACTIVITY

Possibility of Hazardous Reactions: **Hazardous polymerisation will not occur.**

Chemical Stability: **Stable at ambient temperature and under normal conditions of use.**

Conditions to Avoid: **No further relevant information available.**

Incompatible Materials: Oxidising agents, strong acids and bases.

Hazardous Decomposition Products: Oxides of carbon and nitrogen and water vapour.

11 . TOXICOLOGICAL INFORMATION

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:**

For the amphoteric biocide:
LD50 (oral) 4500 mg/kg (rat)

Acute Health Effects**Inhalation:**

Inhalation is unlikely. Inhalation of aerosols may cause chemical pneumonitis, irritation of the lungs and pulmonary oedema.

(Contd. on page 4)

SAFETY DATA SHEET

According to Safe Work Australia

Date: 01.01.2017

Product Name: **GAS LEAK TEST SOLUTION**

(Contd. of page 3)

Skin: May cause mild skin irritation.**Eye:** May cause mild eye irritation.**Ingestion:**

May cause gastrointestinal irritation. Aspiration during swallowing or vomiting may cause chemical pneumonitis and pulmonary oedema.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.**Serious Eye Damage / Irritation:** Based on classification principles, the classification criteria are not met.**Respiratory or Skin Sensitisation:** Based on classification principles, the classification criteria are not met.**Germ Cell Mutagenicity:** Based on classification principles, the classification criteria are not met.**Carcinogenicity:** This product does NOT contain any IARC listed chemicals.**Reproductive Toxicity:** Based on classification principles, the classification criteria are not met.**Specific Target Organ Toxicity (STOT) - Single Exposure:**

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.**Chronic Health Effects:** Repeated or prolonged exposure may cause skin and eye irritation.**Existing Conditions Aggravated by Exposure:** No information available**Additional toxicological information:** No information available

12 . ECOLOGICAL INFORMATION

Ecotoxicity: Harmful to microorganisms.**Aquatic toxicity:** No further relevant information available.**Persistence and Degradability:** No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** This product is readily transported by water.**Other adverse effects:** No further relevant information available.

13 . DISPOSAL CONSIDERATIONS

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 . TRANSPORT INFORMATION

UN Number Not regulated**Dangerous Goods Class** Not regulated**Packing Group:** Not regulated

15 . REGULATORY INFORMATION

Australian Inventory of Chemical Substances:

7732-18-5 | Water

(Contd. on page 5)

SAFETY DATA SHEET

According to Safe Work Australia

Date: 01.01.2017

Product Name: **GAS LEAK TEST SOLUTION**

(Contd. of page 4)

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:
Not Scheduled.

16 . OTHER INFORMATION

Date of Preparation or Last Revision: 01.01.2017

Prepared by: Bracton Industries (NSW) Pty Ltd / Michael Hunter

Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds

LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Disclaimer

This document has been compiled by the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, or supplier.

While Bracton has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, Bracton accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

[End of SDS]

Product Label

This is a BractonSafe initiative to supply the label of the product that only this SDS relates to.
Ensure this label matches the product name in the product identifier.